Table 167 . Alcoholic Habits of First Admissions to Hospitals for Mental Disorders, 1943, by Diagnosis and Sex

Diagnosis	Total			Abstinent			Temperate			Intemperate			Unknown		
	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.	M.	F.	T.
With syphilitic meningo-encephalitis	90	16	106	17	8	25	52	4	56	16	4	20	5	-	5
With other forms of syphilis	8	5	13	2	3	5	6	1	7	-	1	1			
With epidemic encephalitis	-	1	1	-	1	1									
With other infectious diseases	9	5	14	3	2	5	2	2	4	4	1	5			
Alcoholic psychoses	290	63	353							290	63	353			
Due to drugs, etc.	9	10	19	1	3	4	3	4	7	5	3	8			
Traumatic psychoses	11	2	13	4	1	5	6	1	7	1	-	1			
With cerebral arteriosclerosis	316	257	573	113	198	311	124	28	152	50	8	58	29	23	52
With other disturbances of circulation	21	9	30	7	8	15	13	1	14	1	-	1			
With convulsive disorders (epilepsy)	27	21	48	17	16	33	4	3	7	6	1	7	-	1	1
Senile psychoses	238	295	533	83	232	315	97	26	123	31	10	41	27	27	54
Involutional psychoses	38	125	163	13	80	93	22	39	61	3	5	8	-	1	1
Due to other metabolic diseases, etc.	33	42	75	13	32	45	13	5	18	5	1	6	2	4	6
Due to new growth	6	2	8	2	-	2	4	1	5				-	1	1
With organic changes of nervous system	40	40	80	17	33	50	14	4	18	9	2	11	-	1	1
Psychoneuroses	120	110	230	47	56	103	46	40	86	22	9	31	5	5	10
Manic-depressive psychoses	82	120	202	27	71	98	42	40	82	13	5	18	-	4	4
Dementia praecox	358	236	594	133	161	294	142	67	209	66	5	71	17	3	20
Paranoia and paranoid conditions	28	27	55	7	16	23	15	10	25	6	1	7			
With psychopathic personality	40	15	55	10	8	18	11	3	14	19	4	23			
With mental defeciency	57	43	100	36	39	75	13	2	15	8	2	10			
Undiagnosed psychoses	71	53	124	20	32	52	27	14	41	14	7	21	10	-	10
Without psychoses	371	136	507	134	51	185	83	26	109	143	53	196	11	6	17
Primary behavior disorders	60	32	92	52	23	75	6	8	14	2	1	3			
Total with Mental Disorder	1,892	1,497	3,389	572	1,000	1,572	656	295	951	569	132	701	95	70	165
Total without Mental Disorder	431	168	599	186	74	260	89	34	123	145	54	199	11	6	17
Grand Total:	2,323	1,665	3,988	758	1,074	1,832	745	329	1,074	714	186	900	106	76	182